

## **REMARKS CONCERNING THE OFFICE ACTION**

In the Office Action mailed on May 22, 2001, the U.S. PTO required Restriction and Election of Ultimate Species to be exercised between claims 1-47, now claims 1-51, all of the claims in the Application. That restriction requirement has been withdrawn in the Office Action mailed August 29, 2001, and all claims are under Examination.

### **Rejections of Claims**

Claims 1-51, all of the claims in the Application, have been rejected under 35 U.S.C. 103(a) as unpatentable over Bunnell et al. (U.S. Patent No. 6,075,939) in view of Carlson et al. (U.S. Patent No. 5,707,286), Pascal et al. (U.S. Patent No. 5,971,851), Bock et al. (U.S. Patent 5,155,856), and Adams et al. (U.S. Patent No. 5,778,226). This is the sole rejection in the Application.

## **RESPONSE TO REJECTION**

Summary of the Rejection Under 35 U.S.C. 103(a)

The rejection in the Office Action is believed to be fairly summarized as follows:  
Bunnell et al. is asserted to show:

- 1) A system handler, executed by the operating system kernel, operable to dynamically link with at least one program object;
- 2) An operating system comprising a system handler;
- 3) A system handler comprising a plurality of device handlers;
- 4) A system handler that loads and executes program devices;
- 5) The kernel is modified to access user level code from ROM;
- 6) The kernel is modified to execute from ROM;
- 7) Kernel modifications are modular;
- 8) The system handler comprises APIs with functions callable from program objects;
- 9) The system handler can manage an event queue; and
- 10) The system handler loads and unloads program objects.

The rejection then lists thirteen (13) elements (identified as b-n elements) in the claims that the Examiner agrees are not shown by Bunnell et al. The rejection then asserts that the elements not disclosed by Bunnell et al. are "typical game element device methods employed on a PC." The Examiner then cites four references (Carlson et al. (U.S. Patent No. 5,707,286), Pascal et al. (U.S. Patent 5,971,851), Bock et al. (U.S. Patent No. 5,155,856), and Adams et al. (U.S. Patent No. 5,778,226)) to show individual elements that are recited in

dependent claims as obvious over the teachings of Bunnell et al. and the Official Notice taken by the Examiner. This rejection is respectfully traversed.

The rejection fails in a number of regards. The first level of traversal in the rejection is the failure to appreciate the complexity of the use of a system handler in **A GAMING SYSTEM ENVIRONMENT**, the differences between general PC usage and usage in a gaming system, and the unique aspects of the system recited in the claims as compared to the systems described in the prior art cited against the claims.

The differences between the gaming system environment and the fields of use described by Bunnell et al. are first evident in the fact that Bunnell et al. does not show a game controller, game programs, and game objects. There is nothing in Bunnell et al. that directly ties that reference into the field of practice recited in the claims, not only in the preamble, but within functional limitations in the elements of the claims themselves. This substantive initial difference becomes extremely important with regard to the differences in the function and components of the system and methods recited in the claims of the present application.

To begin with, the underlying operations of the claimed system and the system of Bunnell with regard to the terminology of "dynamic linkage" are quite distinct. Claim 1, for example, specifically recites:

**"...a system handler application operable to dynamically link with at least one gaming program object..."**

This is quite distinct from what is described in Bunnell et al. For example, looking at Figure 4 of Bunnell et al. (and reviewing the entire specification of Bunnell), the operation of the technology does not show a system handler application that "dynamically links with at least one gaming program object..." In fact, the Figure and the disclosure do not show dynamic linking, as recited in the claim, that performs at the same hierarchical level as that recited in the claim. Looking at Figure 4 of Bunnell, the dynamic linking recited in the claim would be above (e.g.—at a higher level, such as at an application level, or between an application and operating system level) all elements shown in that Figure, not at the lower level of the ROM BIOS kernel shown in Figure 4 and described in the text of Bunnell et al. Therefore, in addition to failing to provide any direct nexus into the gaming art, the actual performance of Bunnell et al. is excluded by the present claims, and the present claims require the performance of steps and the presence of recited functions that are not shown by Bunnell.

Reviewing Bunnell in the most positive light, it can be seen that the level of dynamic linkage is in fact substantively different than that recited in the claims, between the system handler and a gaming program object. For example, looking at the complete disclosure of Bunnell, wherever “dynamic” or “linkage” or “linking” appears in the specific or claims, the following portions of the Bunnell specification should be noted.

At column 7, lines 62-65, Bunnell states under “Alternate components” that there should be a “dynamic system call facility” which does not expand the method of performance specifically taught by Bunnell and as illustrated by Figure 4. This is a general reference, with no probative teaching, and no description of a system handler dynamically linked to a gaming program object.

Column 10, lines 55-67 describes dynamically establishing relationships and then refers to objects that have already been linked. This is dynamic linking for system calls, dynamically linking system components together. That is different from the type of dynamic linking of the present invention. Figure 4 of Bunnell shows two kernel components linked together, which defines the level of dynamic linkage, in a Posix compliant API. Posix is a standard for operating systems, and Bunnell teaches an implementation of the standard system. Posix has nothing to do with the “dynamic linkage” recited in the claims. Bunnell describes a dynamic system call, not a dynamic linkage. At column 10, lines 60-66, Bunnell merely describes dynamically establishing relationships between global functions and symbols. This is not a description of a system handler dynamically linked to a gaming program object.

The difference of the capability and actual performance at “higher levels” within the software is well understood in the art in general terms, and is spelled out clearly in the practice of the present invention in the dynamic linking of the system handler to the casino gaming objects. Software is written in different hierarchies of content. As one progresses from kernel level, to user API level, to object level etc., the program becomes more abstract moving up the hierarchy of the software. The kernel actually talks directly to hardware, then hardware can use game functions API to execute the gaming performance. This is what is meant when this response refers to a higher level of performance as compared to the software and operating systems of the references, where they do not operate at that level of abstraction.

In addition, the performance of a dynamic linkage, as recited in these claims, allows for dynamic unlinking. This means that we can unload a game object and replace it with another game object as recited in other claims. This functionality, as recited in claims 5, 19, 21, 22, 23, 25, and 26. For example, the recitations in claim 19 includes:

A machine-readable medium with instructions thereon, the instructions when executed operable to cause a computer to:

load a first program object,

execute the first program object,

store data variables in nonvolatile storage, such that a second program object later

loaded can access the data variables in nonvolatile storage,

unload the first program object, and

load the second program object.

This functionality is not taught, enabled or suggested by Bunnell et al., alone or in combination with all of the secondary references.

Column 11, lines 20-65 describe "Dynamic System Call Management," which again is not a disclosure of a system handler that dynamically links to a gaming program object. The term "dynamic linkage" as used in the present invention and as described in the specification and understood in the art defines a linkage above the user program level, which is above the kernel level shown in the Figure (4 of Bunnell et al.) and as described in the specification of Bunnell. In addition, the user program links in the shared objects are gaming specific, which is not shown by Bunnell and is not motivated by the four additional references cited in the rejection. In the practice of the present invention, the dynamic linkage is also used with the API. This is quite distinct from Bunnell's POSIX system call for the API. This is sufficiently distinct as to have warranted the filing of new claims 52-54 to clearly claim that distinct feature.

The five times that dynamic system calls are referred to by Bunnell et al. on column 12 (lines, 4-67) do not in any way contradict the earlier usage or expand on that usage to indicate to one skilled in the art that a system handler can be dynamically linked to a gaming program object. Similarly, the reference on Column 13, lines 22-26 to a Dynamic System Call Table does not in any way improve upon the deficiencies noted with regard to the disclosure of Bunnell. That reference, and none of the secondary references, shows the dynamic linking of a system handler application to a program game object. Nothing equivalent to that has been shown to be taught by Bunnell et al. or any of the secondary references used in the rejection.

It is therefore clear, that even above the thirteen deficiencies that the Examiner has noted in Bunnell, there is another, and even more egregious deficiency that has not been asserted to be obvious in view of the secondary references.

Turning now to the thirteen deficiencies in the Bunnell et al. reference, the mere number of differences that the Office Action attempts to take Official Notice of is in itself an indication of the extent of difference between the teachings of Bunnell et al. and the claimed invention. Additionally, the statement that these features are "typical game device methods implemented on a PC" is challenged, as is the general taking of Official Notice on these limitations. The use of PC's in the gaming industry (as opposed to games) is relatively new. The use of a PC to effect these procedures and provide those functions was not obvious to applicants at the time of filing the Application. The extensive amount of work needed to enable the practice of these functions on a PC clearly indicates that there is neither obviousness nor ability to take Office Notice of those limitations, particularly within a gaming environment.

It is important to note here the environment of the present invention in the gaming industry. Applicants do not deny that it has been possible to use modern PC's and Operating Systems to write games, as that has been accomplished by the inventors. However, it was not obvious or instructed in the prior art or available in inherent components in available PC's and Operating Systems to meet Gaming Regulations. Additionally, gaming systems require significant and critical security in their communication systems, both internally and with outside sources of communication. Failure to provide such security would fail to meet both Gaming Commission requirements and the security needs of casino operators. No such communication security is generally required or used in arcade games. As described and enabled in the specification, extensive modifications, enhancements and safeguards were needed to effect gaming and system designs that could meet the stringent regulation standards, and adapt PC's to the casino environment. Accomplishing this result with a system handler dynamically linked to gaming program objects was not taught by any of the references cited in the rejection, either alone or in combination.

In addition, the secondary references (Carlson, Pascal, Adams and Bock) do not either overcome the deficiencies of Bunnell, nor consistently teach what they are asserted to teach in the rejection.

For example, Carlson was cited to show the limitations of claims 27 and 28, but is not cited to show the broad range of admitted deficiencies of Bunnell (the thirteen missing elements of claims) and does not show dynamic linking of a system handler to game program

objects. Without any showing of that dynamic linkage, Carlson cannot overcome the underlying and fatal deficiency of the rejection. Carlson's practice is vastly different from the type of dynamic linkage recited in the claims and cannot support any motivation to move in that direction. Carlson accesses rules in EPROM, and doesn't even execute in EPROM, but merely provides addresses for accessing those functions in the address list. This is referred to in the art as static linkage, which is in contrast to dynamic linkage recited in the claims. There is also a substantive difference between dynamic linkage as recited in the claims and the static linkage described in the reference. For example, dynamic linkage allows the shared objects to execute while static linkage does not. There is no suggestion in the references of record to operate the system in the specific environment of gaming operations in a dynamic manner.

Bock et al. has been cited as showing zeroing-out unused registers, asserting that is what is recited in claims 9, 17, 44, and 47. That is not equivalent to what is done in the present invention by zeroing out memory. Actually, zeroing out the memory does not disable device handlers. The two elements that the rejection attempts to correlate are unrelated separate security procedures. This is specifically recited in new claims 52-55. The teaching of Bock et al. asserted by the Office Action to describe a method of zeroing out unused registers to provide security during booting up is not equivalent to "...an operating system kernel that is customized to disable selected device handlers..." recited in the claims and the disabling of selected device handlers. Those are immaterial to the booting up security described by Bock et al. Even more importantly, the methods described in Bock et al. are implemented by hardware. The device handlers recited in the claims of the present invention which zero out memory are implemented in software. This means that in the practice of the invention recited in the claims, there is a CPU that fetches instructions from memory, and it is those instructions that causes the CPU to zero out memory. This zeroing out is not performed during boot-up, but during actual operation of the machine.

Similarly, Pascal is cited against claims 5, 15 and 22 as showing the limitations of those claims wherein it is recited that:

"...a game state device providing a variable name index to associated variable data locations within the nonvolatile storage ..."

"...handling events via the system handler application ..." and

'...such that a single gaming program object is loaded and executed at any one time but gaming program objects are operable to share data via the program variables in a nonvolatile storage ..."

The deficiencies noted above for Bunnell et al. and these limitations are not described, rendered obvious or enabled by the showing of data call backs taught by Pascal.

Adams fails to teach the subject matter that has been shown to be missing from the teachings of the other references. For example, Adams mentions dynamic loading twice 9as determined by a full text word search of “dynamic”), but does not teach dynamic linking of a system handler to a shared game object. This teaching fails to overcome the specific deficiencies noted above with regard to the recitations in the claims.

These distinctions are also embodied in other claims and limitations in the claims in alternative ways. For example, claim 22 recites:

A machine-readable medium with instructions thereon, the instructions when executed operable to cause a computer to manage at least one gaming program object via a system handler application, such that a single gaming program object is loaded and executed at any one time but gaming program objects are operable to share data via the program variables in a nonvolatile storage.

This is another way of defining specific capabilities of dynamic linkage that are not provided by Bunnell et al. and are not suggested by any of the secondary references, alone or in combination with Bunnell et al. and each other.

### **SUMMARY OF ARGUMENTS**

The primary reference not only fails to establish utility of the teachings of that reference in the field of gaming, but also, in addition to the thirteen elements and limitations of the invention acknowledged by the Office Action to be missing from the Bunnell et al. reference, that reference fails to describe, suggest or enable a system handler to dynamically link to at least one gaming program object. The four secondary references fail to teach these limitations and fail to teach the specific limitations for which they were cited in the Office Action.

### **CONCLUDING REMARKS**

The Examiner is invited to contact Applicant's Representatives, Mark A. Litman & Associates, P.A. at (952) 832.9090, if any further changes need to be made to the claims. Authorization is hereby given to charge any fees that are owed for the submission of these drawings to Deposit Account Number 50-1391.

Respectfully submitted,

MICHAEL G. MARTINEK et al

By their Representatives,

Mark A. Litman & Associates, P.A.  
York Business Center, Suite 205  
3209 West 76<sup>th</sup> Street  
Edina, MN 55435  
(952)832.9090

Date: May 2, 2002

By 

Mark A. Litman  
Reg. No. 26,390

CERTIFICATE UNDER 37 C.F.R. 1.8: The undersigned hereby certifies that this Transmittal Letter and the paper, as described herein, are being deposited in the United States Postal Service, as first class mail, with sufficient postage, in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231 on May 3, 2002.

\_\_\_\_\_  
Mark A. Litman

  
\_\_\_\_\_  
Signature